







INDEX


		06		10
INNOVATIONS	4•5		Marie Control	
R10	6•7			
R20	8•9			
R30	10 • 11			
R40	12 • 13			7
R50	14 • 15		149	
SETUP	16•17			20
PANEL DISPLAY	18•19			
SOLO HANGER	20		NAME AND ADDRESS OF	
CEILINGHANGER	21			
STOPPER	22			
D.I.Y.	23		10	
			18	

INNOVATIONS | the unique features of Newly

















- 1 Easy and swift installation thanks to the free drilling template. Therefore you always have the right drilling distance from the ceiling.
- 2 Clip is also rail connector.
- 3 All rail can be installed tight to the ceiling, this gives a very neat finish.
- 4 The rail can be re-painted without any special preparations.
- 5 The head of the Twister cord completely disappears into the rail, invisible which is unique.
- 6 R30: The unique R30 rail is a combination between 2 traditional types of rail like the cliprail and the J-rail.
- 7 R40: The R40 rail is the only ceiling rail which can be installed with clips, easier and stronger then the traditional ceiling rail.
- 8 Newly offers 5 years manufacturers warranty.

Twister cord




- Twist and secure, therefore a safe and secure fixing.
- Can be used in any location along the rail.
- Really tight but also easy to move.
- Maximum capacity 20 kg/ 44lb.



- 1: Easy vertical inserting without bending or tilting the cord.
- 2: After twisting the Twister a quarter turn, it is locked in the upper compartment of the rail.
- 3: By moving down the Twister it is secured.

Hook



The H100 hook

Exclusive Newly designhook

- 1: Easy to adjust to the millimeter, both suitable for left or right handed.
- 2: Self locking systems with steel balls therefore no cutting into the perlon.
- 3: Capacity 20 kg/44lbs on both perlon and steel cord.

Clip



- Easy and secure installation!
- · Always flat against the wall.
- Thanks to this innovative clip the rail can be installed tight to the ceiling.
- The rail can be clicked onto the clip by one touch.
- Fixed and secure due to secured and flexible joiners.
- Clip is also rail connector.

Panel Display



The panel display, the perfect and only solution to hang dibond, plexiglass, wooden panels, carton, aluminium, or any other material with a thickness between 3mm and 6mm. (0,1 and 0,25 inch) on a hanging system without installing, glueing or nailing on the back of the object. Installation is easy between the flexible clamps..

Solo hanger



The perfect solution for flexibility with a minimum of installation. Perfect to hang an object on a small wall or from the ceiling or any steep ceilings.

Plaster screw




This screw has been specially developed for fast and secure installation on plaster walls without using a plug.

Ceilinghanger



Use the steel profile of your panel ceiling as a hanging rail, perfect solution for offices and so to have a flexible hanging system without installing a rail.





The R10 wall rail is produced from high quality aluminium and is suitable for 20kg/44lbs per meter (size 17 x 12 mm/0,7 x 0,5 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

Newly R10 rail 200 cm/6,5 ft white	999 000 210
Newly R10 rail 200 cm/ 6,5 ft white	pk/5 999 000 211
Newly R10 rail 300 cm/9,8 ft white	999 000 260
Newly R10 rail300 cm/9,8 ftwhite p	k/5999 000 259
Newly R10 rail 200 cm/6,5 ft silver	999 000 261
Newly R10 rail 200 cm/6,5 ft silver p	k/5999 000 262
Newly R10 end cap white	999 000 213
Newly R10 end cap grey	999 000 214
Newly R10 corner connector white	999 000 215
Newly R10 corner connector grey	999 000 216

Newly clip	999 000 258*
Newly screw R-rail (3.5x35mm)	999 000 230*
Plaster board screw	999 000 266*
FISHER UX5x35R plug	999 000 285*

^{*} Use 3 pieces per meter

Hooks



SECURITY

Hook H₃0

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	999 000 291
Newly H50 hook	999 000 278
Newly H100 hook	999 000 279
Newly H100 security hook	999 000 280

Cords and rod





The Twister comes in with a reliable transparent perlon cord Ø 2 mm polyamide or with a contemporary looking steel cable Ø 1,8 mm.

Both cords have a 20kg/44lb. capacity.


Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Rod hook H50 5kg/11 lbs

Perlon Twister	
100 cm/3,2 ft	999 000 232
150 cm/4,9 ft	999 000 233
200 cm/6,5 ft	999 000 234
250 cm/8,2 ft	999 000 235
300 cm/9,8 ft	999 000 236
500 cm/16,4 ft	999 000 237
Steel Twister	
100 cm/3,2 ft	999 000 238
150 cm/4,9 ft	999 000 239
200 cm/6,5 ft	999 000 240
250 cm/8,5 ft	999 000 241
300 cm/9,4 ft	999 000 242
500 cm/16,4 ft	999 000 243
Rod Twister	
Rod Twister white 200cm/6,5 ft	999 000 292

999 000 293





The R20 wall rail is produced from high quality aluminium and is suitable till 30kg/66lbs per meter (size 17 x 12 mm/0,9 x 0,5 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

999 000 297
999 000 263
999 000 218
999 000 219
999 000 220
999 000 221
999 000 222

Newly clip	999 000 258*
Newly screw R-rail (3.5x35mm)	999 000 230*
Plaster board screw	999 000 266*
FISHER UX5x35R plug	999 000 285*

^{*} Use 3 pieces per meter

Hooks



H30 H50 H100 H100 SECURITY

Hook H₃0

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	999 000 291
Newly H50 hook	999 000 278
Newly H100 hook	999 000 279
Newly H100 security hook	999 000 280

Cords and rod





The Twister comes in with a reliable transparent perlon cord Ø 2 mm polyamide or with a contemporary looking steel cable Ø 1,8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available. .

Article numbers

999 000 232
999 000 233
999 000 234
999 000 235
999 000 236
999 000 237
999 000 238
999 000 239
999 000 240
999 000 241
999 000 242
999 000 243

999 000 292

999 000 293

Rod Twister white 200cm/6,5 ft

Rod hook H50 5kg/11 lbs



PROFESSIONAL

- 1 Easy one touch installation
- 2 Suitable for heavy duty rods and cords
- 3 Installing tight to the ceiling
- 4 Re-paintable
- 5 Hanging in any position along the rail
- 6 Capacity 50 kg/110 lbs per meter

















The R30 is a professional wall hanging rail which is very suitable for galleries and museums, made of a high quality aluminium and has a capacity of 50 kg per meter/110 lbs per 6 ft.. (seize 34,8 x 11.5mm/1,37 inch x 0,45 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap foil to avoid surface damage.

Article numbers

Newly R30 rail 200 cm/6,5 ft white	999	000	223
Newly R30 rail 300 cm/9,8 ft white	999	000	264

Newly R30	endcap white	999	000	225
Newly R30	corner connector white	999	000	227

Newly clip	999 000 258*
Newly screw R-rail (3.5x35mm)	999 000 230*
Plasterrail screw	999 000 266*
FISHER UX5x35R plug	999 000 285*

^{*} Use 3 pieces per meter

Hanging rod



Classic heavy duty hanging rod for heavy objects. Both rod and hook are made of solid steel. The rod is $4x4mm/0,15 \times 0,15$ inch and has a length of 200cm/6,5 ft.

Article numbers

Newly S-rod 200 cm/6,5 ft white	999	000	247
Newly S-rod hook 40 kg/88 lbs	999	000	248

Hooks



SECURITY

Hook H₃0

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	999 000 291
Newly H50 hook	999 000 278
Newly H100 hook	999 000 279
Newly H100 security hook	999 000 280

Cords and rod



The Twister comes in with a reliable transparent perlon cord Ø 2 mm polyamide or with a contemporary looking steel cable Ø 1,8 mm.

Both cords have a 20kg/44lb capacity.

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon Twister	
100 cm/3,2 ft	999 000 232
150 cm/4,9 ft	999 000 233
200 cm/6,5 ft	999 000 234
250 cm/8,2 ft	999 000 235
300 cm/9,8 ft	999 000 236
500 cm/16,4 ft	999 000 237
Steel Twister	
100 cm/3,2 ft	999 000 238
150 cm/4,9 ft	999 000 239
200 cm/6,5 ft	999 000 240
250 cm/8,5 ft	999 000 241
300 cm/9,4 ft	999 000 242
500 cm/16,4 ft	999 000 243
Rod Twister	
Rod Twister white 200cm/6,5 ft	999 000 292
Rod hook H50 5kg/11 lbs	999 000 293



UP


- 1 Can be installed anywhere onto the ceiling
- 2 Invisible hanging of the Twister head
- 3 Ceiling installation
- 4 Hanging in any position along the rail
- 5 Re-paintable
- 6 Max. 20 kg per meter/44 lbs per 3 ft.

















The R40 rail is the only rail in the world which can be attached onto the ceiling with clips. Unique, the rail can be installed anywhere along the ceiling. Very suitable to install in shop windows for displaying all kind of objects. The R40 ceiling rail is produced from high quality aluminium and is suitable to 20 kg per meter/ 44 lbs per 3 ft. (seize 18,3 x 17,6 mm/0,72 x 0,69 in).

Available in white/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

Newly R40 Up rail white 200cm/6,5 ft	999 000 282
Newly R40 endcap white	999 000 283
Newly R40 clip	999 000 284*
Newly screw R-rail (3.5x35mm)	999 000 230*
FISHER UX5x35R plug	999 000 285*

^{*} Use 3 pieces per meter

Hooks



SECURITY

Hook H₃0

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	999 000 291
Newly H50 hook	999 000 278
Newly H100 hook	999 000 279
Newly H100 security hook	999 000 280

Cords and rod





The Twister comes in with a reliable transparent perlon cord Ø 2 mm polyamide or with a contemporary looking steel cable Ø 1,8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon Twister	
100 cm/3,2 ft	999 000 232
150 cm/4,9 ft	999 000 233
200 cm/6,5 ft	999 000 233
250 cm/8,2 ft	999 000 234
300 cm/9,8 ft	999 000 236
500 cm/16,4 ft	999 000 237

Steel Twister	
100 cm/3,2 ft	999 000 238
150 cm/4,9 ft	999 000 239
200 cm/6,5 ft	999 000 240
250 cm/8,5 ft	999 000 241
300 cm/9,4 ft	999 000 242
500 cm/16,4 ft	999 000 243

Rod IWister	
Rod Twister white 200cm/6,5 ft	999 000 292
Rod hook H50 5kg/11 lbs.	999 000 293




DISPLAY

Newly R50 rail is the most compact profile in the field of self clamping paper holders. You can perfectly display cards, posters, drawings without damaging them. You can use them at home, in offices, schools, restaurants and kindergarten. The specially developed rubber clamping profile into the rail makes it possible to hang different paper thicknesses in one. The R50 ceiling rail is produced from high quality aluminium in combination with a rubber clamping inside (size 29.5 x 14.2 mm/1,16 x 0,55 inch).



DISPLAY



Available in white/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations

The rail comes complete with end caps, screws and plugs.

Article numbers

Newly R50 rail white 100 cm/3,2 ft	999 000 286
Newly R50 rail white 200 cm/6,5 ft	999 000 287
Newly R50 rail clip	999 000 289
Newly R50 endcan	999 000 288










PANEL DISPLAY

- 1 H300 set complete
- 2 Self locking lower clamp
- 3 Upper clamp
- 4 Easy and fast installation
- 5 Cords can be easily hidden on the reverse
- 6 Easy, flexible and secure hanging















Panel Display



The Panel Display hanger is the perfect and only solution to hang dibond, plexiglass, wood panels, carton, aluminium or any other material with a thickness between 3 and 6mm/0,1 – 0,25 inch and a weight of 10 kg/22 lbs on a hanging system without glueing, nailing or making any holes into the object. Installing is simple due to a flexible clamping system.

The H300 set consists of 2 self locking lower clamps, 2 upper clamps and an instruction sheet but excluding cords.

Article numbers

Newly Panel Display set 10kg/22lbs 999 000 294

Cords





The Twister comes in with a reliable transparent perlon cord Ø 2 mm polyamide or with a contemporary looking steel cable Ø 1,8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon '	Twiste
----------	--------

100 cm/3,2 ft	999 000 232
150 cm/4,9 ft	999 000 233
200 cm/6,5 ft	999 000 234
250 cm/8,2 ft	999 000 235
300 cm/9,8 ft	999 000 236
500 cm/16,4 ft	999 000 237

Steel Twister

100 cm/3,2 ft	999 000 23
150 cm/4,9 ft	999 000 23
200 cm/6,5 ft	999 000 24
250 cm/8,5 ft	999 000 24
300 cm/9,4 ft	999 000 24
500 cm/16,4 ft	999 000 24



SOLOHANGER

A great solution for flexibility with a minimum of installation needed. Perfect to hang from a ceiling but also useful to hang on a small wall, columns, shop windows and steel ceilings.

The Solohanger hanger offers the possibility to hang more then 1 object on the same cord to a total maximum of 20 kg/44lbs per set.

A complete Solohanger set consists of; mountingfoot, closing cap, steel cable 1,8mm. (100, 200 or 500cm/ 3,2, 6,5 or 16,4 feet) H100 hook, plug and screw.













Article numbers

Newly set Solohanger 100cm/3,2 feet 20kg/44lbs 999 000 270 Newly set Solohanger 200cm/6,5 feet 20kg/44lbs Newly set Solohanger 500cm/16,4 feet 20kg/44lbs 999 000 272 Newly Solohanger 500cm/16,4 feet 20kg/44lbs

999 000 271 999 000 295





CEILINGHANGER

You can use the steel strip of your panel ceiling parallel to the wall as a hanging rail system with the Ceilinghanger Flexible, easy and safe without installing a real system or drilling holes.

A complete Ceilinghanger set consists of; a ceiling clamp with flexible cover, a perlon cord 200cm/6,5 feet and a H50 hook with a maximum capacity of 5 kg/11 lbs per set.







Article number
Newly Ceilinghanger set 200cm/6,5 feet 5kg/11lbs 999 000 273





STOPPER

The Newly Stopper set is the only solution to prevent sliding the cord down when the rail is installed on a steep angle in an attic or on the stairs.

Screw the nipple in at any point along the rail where the cord has to be stopped from sliding down.

A complete Stopper set consists of; screwnipple, perlon cord 150cm/4,9 feet, H50 hook and an allen key.



Article number Newly Stopperset 5kg/11 lbs

999 000 249







Article R10 Rail blister 999 000 274



Article R20 Rail blister 999 000 275



Article H50 blister with perlon cord 150cm/4,9 feet. 999 000 276



Article Ceilinghanger blister 200cm/6,5 feet complete. 999 000 296



Article Solohanger blister 200cm/6,5 feet complete. 999 000 297



Article H100 hook with perlon cord 150cm/4,9 feet. 999 000 277



Your dealer:

www.newly.nl