



**DON'T LET YOUR
MEMORIES FADE**

LARSON · JUHL®

Having the correct glazing is very important to the framing process. Almost every framed piece requires some form of glazing, performing the vital function of protecting the artwork within it.

In its expanded offer, Larson-Juhl has 15 ranges of glass and acrylic making sure that framers have the appropriate breadth of choice for a multitude of framing needs. As we all know, having the correct glazing can not only make a huge difference visually but can impact on the lifetime protection of the piece.

Frame: Eiffel by Larson-Juhl



Clarity by Larson-Juhl Glass CLARITY

CLARITY BY LARSON-JUHL AR99

Applications

- Picture Framing
- Custom Framing
- Conservation Framing
- Museum Framing
- 3D Object Framing

Features

- 99% UV protection
- Less than 1% Light reflection
- Improved transmission
- Easy to clean and abrasion resistant
- Crisp image resolution
- High durability

Ref.	Size mm	Size inches	Thickness mm	Pack contents
CLF080110	800x1100	31.5x43.3	2.5	6
CLF915122	915x1220	36x48	2.5	4
CLF110160	1100x1600	43.3x63	2.5	4

CLARITY BY LARSON-JUHL AR70

Applications

- Picture Framing
- Custom Framing
- Conservation Framing
- 3D Object Framing

Features

- 70% UV protection
- Less than 1% light reflection
- Improved transmission
- Easy to clean and abrasion resistant
- High durability

Ref.	Size mm	Size inches	Thickness mm	Pack contents
CLA080110	800x1100	31.5x43.3	2	6
CLA915122	915x1220	36x48	2	4
CLA110160	1100x1600	43.3x63	2	4

CLARITY BY LARSON-JUHL AR92

Applications

- Picture Framing
- Custom Framing
- Conservation Framing
- 3D Object Framing

Features

- 92% UV Protection
- Less than 1% light reflection
- Improved transmission
- Easy to clean and abrasion resistant
- Crisp image resolution
- High Durability

Ref.	Size mm	Size inches	Thickness mm	Pack contents
CLD080110	800x1100	31.5x43.3	2	6
CLD110160	1100x1600	43.3x63	2	4

CLARITY BY LARSON-JUHL UV99

Applications

- Picture Framing
- Custom Framing
- Conservation Framing
- 3D Object Framing

Features

- 99% UV protection
- Crisp image resolution
- Zero distortion
- Neutral colour from all angles

Ref.	Size mm	Size inches	Thickness mm	Pack contents
CLE080110	800x1100	31.5x43.3	2	6
CLE915122	915x1220	36x48	2	4
CLE110160	1100x1600	43.3x63	2	4

All Clarity by Larson-Juhl glass is coated and passes the following durability tests:

- Abrasion ISO 9211-4
- Adhesion ISO 9211-4
- Humidity ISO 9022-2
- Temperature ISO 9022-2
- Solvent stability ISO 9211-4
- UV and condensation EN 1096-2
- Neutral salt spray EN 1096-2
- Climate cycling EN 1096-2
- Acid rain test EN 1096-2

Ref.	Promotional Product	Price
CLABLJ015	Clarity by Larson-Juhl Glass Specifier	FOC
CLABLJ016	Clarity by Larson-Juhl A4 Sample Set AR70	FOC
CLABLJ018	Clarity by Larson-Juhl A4 UV99 Sample	FOC
CLABLJ021	Clarity by Larson-Juhl Shadow Box AR99	FOC
CLABLJ022	Clarity by Larson-Juhl Medium Gloves	FOC
CLABLJ025	Clarity by Larson-Juhl Large Gloves	FOC
CLABLJ026	Clarity by Larson-Juhl Glass Cleaner 500ml	FOC
CLABLJ023	Clarity by Larson-Juhl Microfibre Cloth	FOC
CLARIT013	Clarity by Larson-Juhl Shadow Box AR70	FOC
999001016	Clarity by Larson-Juhl Tips, handling, cleaning, cutting leaflet	FOC
999001099	Clarity by Larson-Juhl AR70 Stickers	FOC
999001054	Clarity by Larson-Juhl Water Bottle	FOC

TruVue® Glass TRU VUE

TRUVUE® CONSERVATION CLEAR® GLASS

Applications

- Custom framing, limited edition prints, original works of art and posters
- To help protect items of sentimental or monetary value

Features

- Blocks up to 99% of UV rays
- Proprietary coating is engineered for stability & permanence
- Smooth surface, free of distortion or ripples
- Premium 2.5mm thickness provides the best strength & rigidity
- 40% stronger than comparable products for less breakage & better yields

Ref	Size mm	Size Inches	Thickness mm	Pack
BDTVCC2501	915x1220	36x48	2.5	4
BDTVCC2502	1015x1525	40x60	2.5	2
BDTVCC2502	1220x1725	48x68	2.5	2

TRUVUE® MUSEUM GLASS

Applications

- Custom framing, limited edition prints, original works of art, posters, and shadowboxes for objects including keepsakes or souvenirs
- To help protect items of sentimental or monetary value

Features

- Virtually eliminates reflections for amazing clarity
- Blocks up to 99% of UV rays
- Optimal light transmission brightens colours & contrast levels
- Proprietary coating is engineered for stability & permanence
- Enhanced surface for durability and easy cleaning
- Smooth surface, free of distortion or ripples
- Premium 2.5mm thickness provides the best strength & rigidity
- 40% stronger than comparable products for less breakage & better yields

Ref	Size mm	Size Inches	Thickness mm	Pack
BDTVMG2501	915x1220	36x48	2.5	3
BDTVMG2502	1015x1525	40x60	2.5	2
BDTVMG2503	1220x1725	48x68	2.5	2

TRUVUE® ULTRAVUE® GLASS

Applications

- Works of art or photograph where colour neutrality is most important
- Everyday frame projects that don't require a high level of UV protection
- For frame design that uses multiple mountboard layers
- To accentuate the three dimensional aspects of a shadow box design

Features

- Virtually eliminates reflections for amazing clarity
- Filters up to 70% or 92% of UV rays, depending on product selection
- Water white substrate provides crystal clear colour transmission
- Optimal light transmission brightens colours & contrast levels
- Proprietary coating is engineered for stability & permanence
- Enhanced surface for durability and easy cleaning

Ref	Size mm	Size Inches	Thickness mm	Pack
BDTVUV7002	915x1220	36x48	2	5
BDTVUV7004	1015x1525	40x60	2	4
BDTVUV7006	1220x1725	48x68	2	3
BDTVUV9202	915x1220	36x48	2	5
BDTVUV9204	1015x1525	40x60	2	4
BDTVUV9206	1220x1725	48x68	2	3

Tru Vue® Acrylic

TRUVUE® OPTIUM MUSEUM ACRYLIC®

Applications

- Framing or display cases for fine art collections
- Framing static sensitive materials including textiles, charcoals, pastels
- Framing oversized works, and irreplaceable works of art that travel
- Shadowboxes for displaying objects including family heirlooms or personal mementos
- Framing for earthquake prone or high traffic areas where safety is a concern

Features

- Virtually eliminates reflections for amazing clarity
- Blocks up to 99% of UV rays
- Optimal light transmission brightens colours & contrast levels
- Proprietary coating is engineered for stability & permanence
- Anti-static protection that immediately dissipates static
- Double hard coat protects against scratches
- Cleans like glass, no special acrylic cleaners needed the best strength & rigidity

Ref	Size mm	Size Inches	Thickness mm	Pack
BDTVOM3000	1220x2440	48x96	3	1
BDTVOM4500	1830x2440	72x96	4.5	1
BDTVOM6000	1830x3050	72x120	6	1

Ref.	Promotional Product	Price
BDTVOM0001	TruVue Optium Glazing Sample Kit	FOC
BDTVOM0002	TruVue Cotton Gloves (1 Pair)	FOC
BDTVOM0003	TruVue Microfibre Cleaning Cloth	FOC
BDTVOM0004	TruVue Consumer Guide to materials for preservation framing	FOC
BDTVOM0005	TruVue Lily Counter Display (Conservation V Museum glass)	FOC
BDTVOM0006	TruVue Glazing catalogue	FOC
BDTVOM0007	TruVue Conservator's Sample Kit	FOC
BDTVOM0008	TruVue Optium Museum Acrylic® A5 Sample Set	FOC
BDTVOM0010	UltraVue® Counter Glazing Display Yellow Daisy	FOC
BDTVOM0011	TV Origami Counter Glazing Display	FOC
BDTVOM0012	TruVue OMA Acrylic® Feather Counter Display	FOC
BDTVOM0013	TV UltraVue® UV70 Glass Specifier	FOC
BDTVOM0014	TV UltraVue® UV92 Glass Specifier	FOC
BDTVOM0015	TV Static-Scratch Test Demo	FOC
BDTVOM0016	TV Fine Art Mktg Glazing Specifier Sample Kit	FOC
BDTVOM0018	TV Collectors Sample Frame Kit	FOC
BDTVOM0021	TV Custom Framing Glazing Solutions Brochure	FOC
BDTVOM0022	TruVue® Glazing Care and Handling Sheet	FOC
BDTVOM0023	TV Optium Museum Acrylic® Sell Sheet	FOC
BDTVOM0024	TV Museum Glass® Sell Sheet	FOC
BDTVOM0026	TV Non-Glare® Glass Sell Sheet	FOC
BDTVOM0027	TV Conservation Clear® Acrylic Sell Sheet	FOC
BDTVOM0029	TV UltraVue® UV70 Glass Sell Sheet	FOC
BDTVOM0031	TV TruVue® Nitrile Grip Gloves	FOC
BDTVOM0032	TV Glass Cleaning Tips Sticker	FOC

Artscreen

ARTSCREEN BY LARSON-JUHL

Choose from either Polystyrene or Acrylic for these two alternatives to glass. Both are UV stabilised and clear with the exception of items marked.* These are anti-reflective.

ARTSCREEN POLYSTYRENE

Features

- Sparkling clarity
- Light weight
- Strong resistance to breakage
- 89% UV filtering
- Testing by DIN 5036-3 method
- * Anti-reflective

Ref	Size mm	Size Inches	Thickness mm	Pack
999 000 034	915x1220	36x48	1.2	10
999 000 035*	915x1220	36x48	1.2	10
999 000 134	1250x1850	49x72	2	5
999 000 135*	1250x1850	49x72	2	5

ARTSCREEN ACRYLIC

Features

- Good optical properties
- Brilliant surface
- Long-lasting UV resistance.
- 92% UV filtering
- Testing by DIN 5036-3 method

Ref	Size mm	Size Inches	Thickness mm	Pack
999 200 034	815x1120	32x44	2	5
999 200 134	1630x1120	44x64	2	5

Ref.	Promotional Product	Size
999001063	A5 Artscreen Sample Set	FOC
999000025	LJ Fizz Glass Cleaner	1 litre
999000091	LJ Sprayaway Glass Cleaner	15 ozs
999000149	LJ Nilglass Glass Cleaner	1 litre
999000150	LJ Nilglass Glass Cleaner	5 litre

Ref	Coating Type	Visible Light Transmission (380-780nm, according to EN410)	UV Protection (300-380nm)	Anti reflective	Can be glazed and cut on either side	Easiest handling and cleaning	Substrate
Clarity by Larson-Juhl AR99	Combined Chemical Organic UV Absorber. Molecular and Durable Magnetron Sputtered Metal Oxide coating	~97%	~99%	✓	-	✓	Premium float glass
Clarity by Larson-Juhl AR92	Combined Chemical Organic UV Absorber. Molecular and Durable Magnetron Sputtered Metal Oxide coating	~98%	~92%	✓	✓	✓	Premium float glass
Clarity by Larson-Juhl AR70	Durable Magnetron Sputtered Metal Oxide coating	~99%	~70%	✓	✓	✓	Premium low iron float glass (water white)
Clarity by Larson-Juhl UV99	Chemical Organic UV Absorber Molecules	~89%	~99%	-	-	-	Premium Float glass
TruVue® Conservation Clear® Glass	Inorganic silica-based UV absorbing coating	~89%	~99%	-	-	✓	Clear float glass
TruVue® Museum Glass	Durable Magnetron Sputtered Metal Oxide durable coating UV absorbing coating	~97%	~99%	✓	-	✓	Clear float glass
TruVue® UltraVue® Glass	Durable Magnetron Sputtered Metal Oxide coating	~98.5%	up to 70/92%	✓	✓	✓	Low iron float glass (water white)
TruVue® Optium Museum Acrylic®	Durable Magnetron Sputtered Metal Oxide coating, hard coat	~98%	~99%	✓	✓	✓	UV Blocking Acrylic
Artscreen Polystyrene	-	~89%	UV Stabilised	*only	✓	Peel off film	Polystyrene
Artscreen Acrylic	-	~92%	~92%	-	-	Peel off film	Acrylic





To find out more about our glass range, visit www.larsonjuhl.co.uk
Call one of our friendly call centre advisors on 01234 852777,
or email sales@larsonjuhl.co.uk

For international sales call 00 44 1234 846307
or email export@larsonjuhl.co.uk

Or visit www.larsonjuhl.co.uk

LARSON · JUHL[®]

Larson-Juhl Ltd, Arqadia House, 2 Wolseley Road, Kempston,
Bedfordshire, MK42 7AD, UK

Ref. 999001052/0119